

LRSP AD 2.1 AERODROME LOCATION INDICATOR AND NAME
LRSP - BRAȘOV / Sânpetru

LRSP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	454316N 0253801E, runway centre
2	Direction and distance from city	7 km N from Brasov
3	Elevation/Reference temperature	1715 FT / 12.7°C
4	Geoid undulation at AD ELEV PSN	126 FT
5	MAG VAR/Annual rate of change	4° 55'E (2010) / 7'E
6	AD Administration, address, telephone Telefax, telex, AFS	Aeroclubul teritorial : "Iosif Silimon" Brașov Str. Aeroportului, Nr.1, Loc. Sânpetru, Jud. Brașov Tel.: 0726-678.449 E-mail: brasov@aeroclubulromaniei.ro AFS: - SITA: -
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Nil

LRSP AD 2.3 OPERATIONAL HOURS

1	AD Administration	HX
2	Customs and immigration	Nil
3	Health and sanitation	Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	Nil
8	Fuelling	Nil
9	Handling	Nil
10	Security	Nil
11	De-icing	Nil
12	Remarks	Nil

LRSP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
2	Fuel/Oil types	Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Hangar "1" : 903.0 M ² , maximum height 9M Hangar "2" : 660.0 M ² , maximum height 6M
6	Repair facilities for visiting aircraft	IAR-46S, WILGA PZL- 35A, Glider, Engine Glider
7	Remarks	500 hours scheduled repairs Sânpetru OPC 119.700 MHz – during regular flight school hours

LRSP AD 2.5 PASSENGER FACILITIES

1	Hotels	Hotels, hostels and motels in Brașov and Sânpetru
2	Restaurants	Restaurants in Brașov, Sânpetru
3	Transportation	"Rent-a-car" service on request from Brașov, Bus Brașov-Sânpetru, taxis from Brașov
4	Medical facilities	Hospital in Brașov
5	Bank and Post Office	In Sânpetru and Brașov
6	Tourist Office	Tourist Info-Center in Brașov
7	Remarks	Nil

LRSP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 1
2	Rescue equipment	One car, rescue equipment
3	Capability for removal of disabled aircraft	Tractor
4	Remarks	Nil

LRSP AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	Snow plough
2	Clearance priorities	1. RWY 12/30 2. TWY 3. Apron
3	Remarks	Information about snow clearance on request, available by phone

LRSP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: concrete, asphalt Strength: 5700 kg
2	Taxiway width, surface and strength	Width: 20 M Surface: Grass Strength: 5700 kg
3	ACL location and elevation	Nil
4	VOR/INS checkpoints	Nil
5	Remarks	Nil
		Nil

LRSP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Taxiing guidance signs on TWY and RWY Signs at holding position
2	RWY and TWY markings	RWY: Designation, edge marked white TWY: Designation, edge marked yellow
3	Stop bars	Nil
4	Remarks	Nil

LRSP AD 2.10 AERODROME OBSTACLES

In approach / TKOF areas			In circling area and at AD		Remarks
1			2		
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	3
a	b	c	a	b	
30/APCH 12/TKOF	Trees, Water pipe 532 M Nil	454342.00N 0253723.00E	Nil	Nil	Nil
12/APCH 30/TKOF	"Lempeş" Hill 708 M Nil	454318.00N 0253923.00E	Nil	Nil	

LRSP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Nil
2	Hours of service MET Office outside hours	- -
3	Office responsible for TAF preparation Periods of validity	Nil -
4	Type of landing forecast Interval of issuance	Nil Nil
5	Briefing / consultation provided	Nil
6	Flight documentation Language(s) used	Nil
7	Charts and other information available for briefing or consultation	Nil
8	Supplementary equipment available for providing information	Nil
9	ATS units provided with information	Nil
10	Additional information (limitation of service, etc.)	Nil

LRSP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
30	300.81°	600 x 18	5700 Kg Grass	454311.15N 0253812.94E -	THR 1713 FT
12	120.81°	600 x 18	5700 Kg Grass	GUND 126 FT 454320.90N 0253749.58E -	THR 1713 FT
				GUND 126 FT	
Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
2%	Nil	50 x 100	640 x 60	Nil	Nil
2%	Nil	50 x 100	640 x 60	Nil	Nil

LRSP AD 2.13 DECLARED DISTANCES

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
30	600	620	600	600	Nil
12	600	620	600	600	Nil

LRSP AD 2.14 APPROACH AND RWY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, colour, INTST	RWY edge LGT LEN, spacing, colour, INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil

LRSP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN / IBN location, characteristics and hours of operation	Nil
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and centre line lighting	Nil
4	Secondary power supply/switch-over time	Nil
5	Remarks	Nil

LRSP AD 2.16 HELICOPTER LANDING AREA

1	Coordinates TLOF or THR of FATO Geoid undulation	Nil
2	TLOF and/or FATO elevation M/FT	Nil
3	TLOF and FATO area dimensions, surface, strength, marking	Nil
4	True and MAG BRG of FATO	Nil
5	Declared distance available	Nil
6	APP and FATO lighting	Nil
7	Remarks	Nil

**LRSP AD 2.17 ATS AIRSPACE**

1	<i>Designation and lateral limits</i>	Nil
2	<i>Vertical limits</i>	Nil
3	<i>Airspace classification</i>	Nil
4	<i>ATS unit call sign Language(s)</i>	Nil
5	<i>Transition altitude</i>	Nil
6	<i>Remarks</i>	Year round, daylight, aviation sports club activities gliders, parachuting, planes, hot air balloon.

LRSP AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
Nil	Nil	Nil	Nil	Nil

LRSP AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, CAT of ILS/MLS (For VOR/ILS/ MLS, give VAR)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
Nil	Nil	Nil	Nil	Nil	Nil	Nil

LRSP AD 2.20 LOCAL TRAFFIC REGULATIONS

- NIL -

LRSP AD 2.21 NOISE ABATEMENT PROCEDURES

- NIL -

LRSP AD 2.22 FLIGHT PROCEDURES

- NIL -

LRSP AD 2.23 ADDITIONAL INFORMATION

- NIL -

LRSP AD 2.24 CHARTS RELATED TO THE AERODROME

Aerodrome Chart - ICAO AD 2.21-20
 Visual Approach Chart - ICAO..... AD 2.21-40